



CONTENTS

- 01 About Us
- 02 Kitchen
- 03 Wardrobe
- 04 Bathroom
- 05 Whole House Design
- 06 Material



About Us

Founded in 2011, Guangzhou Faniao Cabinet Co.Ltd., specializes in design, customization and manufacturing of cabinet, wardrobe, bathroom vanity, interior doors and windows and other furniture to all your home improvement needs. With a mission to bring high-end customization to every household, we prioritize high quality, craftsmanship, and design innovation. Our state-of-the-art facility and experienced team ensure top-notch products and service, making us your go-to for creating the dream home.



2011Established in 2011

500+ Employees 50000 m2 Factory spans over

2000 More than 2000 cabinet items

8 German automated production lines

Our industrial park spans over 50,000 square meters, equipped with German-imported fully automated production equipment. Over 60% of our staff are elite talents with over a decade of experience in the customization industry, possessing exceptional capabilities in product structure innovation, color aesthetics, technological advancement, precise manufacturing. We are dedicated to providing one-stop services for high quality home decor.













Classic European Style Kitchen














More Color Option+





Modern Flat Panel Kitchen with Glass Door Winecase



Wood Grain Kitchen



More Color Option +





Modern Kitchen













Modern Kitchen - Gold Handle





Modern Kitchen - Grey















PVC Wood Grain Wardrobe













European Style Walk-in Closet - Open Cabinet







Luxury Modern Walk-in Closet - Glass Door











Luxury Modern Walk-in Closet - Glass Door





Wood Grain Wardrobe










Luxury Leather Wardrobe











Modern Melamine Wardrobe








Modern PET Wardrobe

More Color Option +






















Modern Bathroom Cabinet





-Wood Grain Cabinet






- Marble-lookedcountertop+ WoodGrain Cabinet





- Marble-looked countertop
- + Wood Grain Cabinet




Modern Bathroom Cabinet 4

- Marble-looked countertop + White Drawers



-Marble-looked countertop + Grey Cabinet

Customized Unique Bathroom Vanity
















































































Particle Board

Particle board, also known as chipboard, is a type of engineered wood product made from wood chips, sawmill shavings, or sawdust, and a synthetic resin or other suitable binder, which is pressed and extruded.

01


Smooth surface suitable for various decorative finishes, with large sheet sizes and excellent processing performance.

The surface is wide, smooth, and free from knots or defects, without warping or cracking, exhibiting high physical and mechanical strength. Both longitudinal and transverse strengths are equivalent, providing good sound insulation and high economic value.

02

Environmental Friendliness

Formaldehyde is mainly present in adhesives. Particle board is made by crushing wood and bonding it with glue, which requires a relatively high amount of adhesive due to the presence of pores.



03

Strong Stability and Low Warping

Plywood has strong stability and low warping tendency, with a maximum allowable warping of 0.5mm per 1m.

04

Excellent Nail-Holding Strength

Plywood demonstrates excellent nail-holding strength, allowing for the use of both round nails and screws. It is important to note that secondary nail-holding strength may decrease significantly.

Edge Banding Specifications: Uniform 1.0mm edge banding

Plywood

Plywood is a versatile engineered wood product composed of thin layers of wood veneer, known as plies or layers, bonded together with adhesive under heat and pressure. These layers are usually arranged with the grain of adjacent plies perpendicular to each other, enhancing the strength and stability of the material.

01

Environmental Friendliness

The substrate is made of thick wood core material, which is pasted with adhesive and pressed at high temperature in a staggered manner; moderate amount of glue is used.

02

Moisture Resistance

Low water absorption rate within 24 hours, and does not deform after boiling in water for 2 hours.

03

Solid Quality

Select high-quality eucalyptus, 100% debarked and free of branches; high-temperature steaming and drying. High Strength



04

High Strength

The staggered overlaying process between thick slices is a more advanced method of laying and pressing.

05

Stable Dimensions

Excellent stability; however, prone to warping and deformation.

Edge Banding Specifications: Uniform 1.0mm edge banding

North America Solid Wood

Selected from the main trunks of SPF coniferous trees in the high-cold regions of North America, the material is cut into long strips and spliced into boards according to the finger joint method. Due to its use of plant-based adhesive with minimal quantity, and solid wood core, it is widely favored by high-end users, making it the preferred material for high-end brands in the customization industry.

01

No Formaldehyde Surface

The simulated wood grain surface paper is free from harmful substances such as formaldehyde and benzene, offering various colors to meet different home decor styles.

02

Smooth Surface Layer

Provides flatness to ensure the waterproof and crack-resistant properties of the board.

03

Eucalyptus Fibrous Layer (Upgraded Reinforcement Layer)

The reinforced board core has strong flexibility and smoothness, ensuring the stability of the board and preventing deformation.

1.0mm edge banding

Edge Banding Specifications: Uniform

Using high-quality PVC edge bands with excellent anti-aging and high wear resistance, adhered to the substrate using the EVA process with the German Homag fully automatic edge banding machine, ensuring strong adhesive properties and resistance to detachment.



04

Soy Protein Glue

Firm adhesion, environmentally friendly and healthy, with a milky aroma, zero formaldehyde added, environmentally friendly and non-toxic.

05

Solid Wood Core

Selects imported wood core, with an average tree age of over 60 years, uniform wood texture, and strong nail holding power.

North America Solid Wood

Selected from the main trunks of SPF coniferous trees in the high-cold regions of North America, the material is cut into long strips and spliced into boards according to the finger joint method. Due to its use of plant-based adhesive with minimal quantity, and solid wood core, it is widely favored by high-end users, making it the preferred material for high-end brands in the customization industry.

01

Essential Oil Extraction

Made from freshly harvested New Zealand pine wood cores as raw material.

02

Directional Structural Paving Process

A unique internal large-scale paving process ensures that OSB has strong internal bonding, thereby giving the boards exceptional resistance to deformation.



03

First-Class Stable Quality

World-class machinery and equipment guarantee the superlative stable quality of Luli products.

04

Zero-Formaldehyde MDI Adhesive

Luli boards use zero-formaldehyde PMDI eco-friendly adhesive, ensuring compliance not only with the U.S. CARB2 environmental standards but also introducing formaldehyde-free grade boards to the Chinese market (exceeding Japan's F4 star standard), thus greatly safeguarding the home living environment.

Edge Banding Specifications: Uniform 1.0mm edge banding

Thai Oak

Thai Oak belongs to the large-leaved species and is a subtropical tree species. It is high-quality imported solid wood known for its beautiful grain, uniform texture, and dense, hard wood, making it one of the most widely used lightweight hardwoods in the world.

01

Zero Formaldehyde

The use of soy protein glue as a plant-based adhesive truly achieves zero formaldehyde substrate. This comprehensive approach ensures health and safety for homes.

02

Beautiful Grain, Strong 3D Sense

After strict drying and anti-corrosion treatment, it is not easy to absorb water or crack. It features an elegant color, beautiful grain, fine texture, and excellent processing performance. The specialized decorative paper maintains the original characteristics of solid wood furniture while being suitable for modern furniture design styles.

03

Strong Weight Capacity

The internal bonding strength exceeds ordinary board standards by more than 2 times, eliminating cracks and fractures in the board.



Edge Banding Specifications: Uniform 1.0mm edge banding

Egger Board

The Egger Double-sided Panel (MFC) is a high-end imported brand of board material, using European Alpine cold-zone coniferous wood (spruce/pine) as the substrate.

01


Craftsmanship Structure

Utilizing a three-layer structure with one coarse and one fine layer for assembly, ensuring clear boundaries between each layer, high density, and durable wood quality.

02

Excellent Performance

Free from color deviation, resistant to deformation, exhibits excellent moisture resistance, and possesses antibacterial properties (tested according to standards JISZ2801/ISO22196). Its surface is durable and long-lasting, requiring no oiling, staining, painting, or other protective measures. Additionally, it meets food contact standards.



03

Large Board Width, Authentic Texture, Diverse Combinations, and Excellent

04

Ultimate Environmental Health, Multiple International Certifications

The product complies with the strictest global formaldehyde standards, such as the Japanese $F \bigstar \bigstar \bigstar$ rating (tested by the China National Panel Quality Supervision and Inspection Center, with formaldehyde content meeting Japan's $F \bigstar \bigstar \bigstar$ safety and environmental standards).

Edge Banding Specifications: Uniform 1.0mm edge banding

Egger Board

The Egger Double-sided Panel (MFC) is a high-end imported brand of board material, using European Alpine cold-zone coniferous wood (spruce/pine) as the substrate.

01

Imported Equipment and Advanced Technology

Our LSB products undergo a series of production processes including slicing, drying, sorting, gluing, laying, and hot pressing. These processes contribute to the outstanding quality of our LSB products.

02

Superior Performance and Environmentally Friendly

Boast uniform structure and a pure, delicate texture. They are easy to process and have a smooth surface composed of extremely fine pine fibers, making them suitable for various surface treatments such as melamine impregnated paper veneer, PVC, wood veneer, UV coating, PET film, and molecular decoration. We use top-grade environmentally friendly adhesives, exceeding the environmental standards of Japan's F**** testing standard.



03

Five-layer lay-up, suitable for ultra-high door panels

Constructed with a five-layer lay-up structure and hot pressing method, our LSB products feature fine wood particles on the surface layer suitable for direct finishing. The core layer, composed of long, thin, large chips laid longitudinally, enhances the static bending strength, while the uniform lay-up of short chips in the core layer helps alleviate surface perpendicular tensile stress. This design ensures minimal deformation and is suitable for oversized door panels.


Edge Banding Specifications: Uniform 1.0mm edge banding


Regular Option






























Lacquer



YSK-A326











Blum Door Hinge & Rebounding Accessaries
























Blum Drawer Slider















Blum Pneumatic Door Support



































FANIAO® Your Home Your Way

