


PVC FOAM SHEETS

- FIREPROOF
- WATERPROOF
- ANTI-CORROSION
- ENVIRONMENTAL HEALTH









Website

Guangzhou Xinghuai New Materials Co., Ltd

Tel: 86-20-36528890 Web: www.xinghuai.com

E-Mail: sales@xinghuai.com

Add: No.25, Dayuan North Road, Baiyun District, Guangzhou, China

GUANGZHOU XINGHUAI NEW MATERIALS CO., LTD

TABLE OF CONTENTS

01	ENTERPRISE CHAPTER	
	Company profile	01
	 Corporate values and culture 	02
	Factory strength	03
	Worldwide shipping	09
	 Certifications and Test report 	11
02	PRODUCT CHAPTER	
	Product introduce	13
	PVC foam board	15
	PVC crust board	17
	PVC co-extruded board	19
	PVC color board	21
	PVC carbon crystal board	23
	PVC cabinet board	25
	PVC partition board	27
	PVC waterproof board	29
	PVC green bed board	31

03 TEXTURE CHAPTER

Surface texture introduce	33	
 Wood grain decorative texture 	35	
 Solid color decorative texture 		
Fabric decorative texture	39	
Stone decorative texture	41	

04 APPLICATION CHAPTER

Application introduce	43
Advertising signs	45
Furniture industry	47
Whole house customization	49
Green cultivationtexture	5
Transportation industry	53





VALUES

Xinghuai's corporate values: "Fairness, light, cooperation, mutual benefit, win-win, freedom", its core is "fairness and light".



MANAGEMENT PHILOSOPHY

Integrity and harmony, paying attention to customers, diligently striving for progress while maintaining stability.



BUSINESS PHILOSOPHY

Create high-quality, cost-effective products and considerate services for customers.



Company Profile



TIME OF ESTABLISHMENT

Our company was established in 2015.



PRODUCTION BASE

Our production base has 20000 square meters.



PROFESSIONAL TEAM

We have a professional team of more than 110 people.

Guangzhou Xinghuai New Materials Co., Ltd.) was established in Guangzhou, China in 2015. It is an advanced enterprise rooted in the research, development and production of green and environmentally friendly materials. It was successfully listed on the Guangdong Equity Exchange Center in 2019 (equity code: 880249 , will be recognized as a national high-tech enterprise in 2022 and plans to be listed on the main board of the stock exchange in 2030. Its predecessor was Guangzhou Xinghuai Advertising Decoration Materials Co., Ltd., which was established in 2003.

Corporate values and culture

Our Vision

Become the world's largest and most influential green and environmentally friendly materials group.

Our Mission

Take root in the green environmental protection industry and provide global users with a safer, healthier and high-quality life.

Our Spirit

Absolute obedience Be serious and focused Unity and friendship Full of vigor Continuous self-improvement

www.xinghuai.com


www.xinghuai.com 02



Strength factory

Independent research and development

We are an independent research and development factory with our own R&D team and technical team, committed to providing customers with high-quality, high-efficiency, low-cost products and services.



Automatic production line 6 pcs

Practical patent certificate 16 item

广州兴怀新村特胜传有限公司

Cuangzhou Minghuai New Materials Co., Ltd.

Annual production volume 15,000 ton

Xinghuai Board Industry is an active explorer and practitioner of "Industry 4.0". The company leads development with knowledge and is driven by innovation. Through intelligent manufacturing, it provides customers with a green and environmentally friendly board with a "soul". It has strict quality control and has maintained stable product quality for many years. It adheres to the principle of "sell credibility first, sell products later." People-oriented, mutual benefit and win-win business philosophy. It has gained a good reputation in the industry and led the Xinghuai board industry to change the pattern of the world's environmentally friendly materials industry.




Select high-quality raw materials

To ensure each plank owns excellent physical properties, the raw materials undergo merticulous selection processing.

Professional production machines

We are a professional manufacturer with advanced production lines and automation equipment that can efficiently produce high-quality products.





Adequate inventory

Each of our production links is strictly implemented in accordance with standards to ensure that our products can meet market demand. No matter what specifications and quantities of products you need, we have the ability to provide them, so you can purchase with confidence.







Merticulous packing is the one of keys to ensure the safty and efficiency. We need to consider some special circumstances, such as dimensions, shape, and weight. As well, for over length, over width, over heavy situations, we choose the customized packaging—wooden fram packing.

Meanwhile, we also consider the sensitivities of the product, for example, fragility or perishability, we choose appropriate packaging methods and packing materials to keep them from damage.





Collaborate with foreign enterprises

We have established long-term and stable partnerships with numerous foreign enterprises. Our products not only hold significant positions in the domestic market but also are exported to various countries and regions, earning widespread praise and trust.






Annual offline exhibition

As representatives of our company, we deeply understand the significance of offline exhibitions, hence, we actively participate in various exhibition events. At these exhibitions, we showcase our latest products and technological achievements, engaging in face-to-face discussions with experts and clients from various industries. This not only provides us with a platform to demonstrate our capabilities but also offers valuable opportunities to gather the latest market dynamics and industry trends.











Support global door-to-door delivery

Xinghuai Board Industry (full name Guangzhou Xinghuai New Materials Co., Ltd.) was established in Guangzhou, China in 2015. It is an advanced enterprise rooted in the research, development and production of green and environmentally friendly materials. With developing, Xinghuai Board Industry products are sold to 23 provinces and cities across the country. Including 15 countries and regions Southeast Asia, the Middle East, Europe, North America, South America, and Africa.







RAILWAY HIGH SPEED TRAFFIC



AIR TRANSPORT



SHIPPING



PROVIDE GLOBAL OEM SUPPORTING SERVICES AND COMPLETE SOLUTIONS FOR ENVIRONMENTALLY FRIENDLY PANELS



CERTIFICATIONS AND TEST REPORT





© CERTIFICATIONS





企业信用评价AAA级信用企业

ENTERPRISE CREDIT EVALUATION

全国工业产品生产许可证

经审查, 你单位生产的下列产品符合取得生产许可证条件

企业名称:广州兴怀新材料股份有限公司

查询网址: www.zc168.org.cn (中国招采网)

www.cecbid.org.cn (中国招标投标网)

广州兴怀新材料股份有限公司

产品名称: PVC发泡板、橡塑制品 (明细附后) 住 所:广州市白云区大源街维城路4号201

生产地址:广州市白云区大源北路25号 证书编号: (粤)XK06-001-00026

有效日期: 2022年03月21日-2025年03月20日

查询网址: http://www.cqcb315gov.com

www.bidcredit.org.cn(中国招投标企业信用评价与公示平台)


证书编号: ZQGX2021CLJG0615

颁发日期: 2021 年 06 月 15 日

有效期至: 2024 年 06 月 14 日












(E) TEST REPORT






中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 1 (86-20)82155555 1 (86-20)82075113 e sgs.china@sgs.com









Product introduce



PVC foam board is manily made of polyvinyl chloride (PVC). It is a new type of environmentally friendly material.



PVC foam board has many characteristics. For example, light weight, sound insulation, heat insulation, moisture-proof, earthquake resistance, chemical corrosion resistance, weather resistance, flame retardancy, etc. and it is widely used in many fields, including display panels, signs, bill-boards, partitions, construction Used boards, furniture boards, etc.

Environmental friendly

PVC raw materials are selected and strictly tested at all levels. The formaldehyde test meets the E0 level standard for environmental protection and health.

Fireproof

PVC board has

PVC board has a small expansion coefficient, is flame retardant, and has an oxidation index of over 45.

05

Anti-corrosion

During the production process of PVC foam board, special processing is performed to form a protective film layer. This protective film layer can effectively isolate the corrosion of chemical substances.

Product advantages

Waterproof

PVC board has low water absorption, relatively independent closed bubbles and good integrity, which makes

it have a certain waterproof function.

4) Anti-moth

The surface of PVC board is smooth and no liquid will leak out even if it is eaten by insects, so insects cannot survive on it.





PVC FOAM BOARD

Easy to process
Anti corrosion
Soundproof



PVC CRUST BOARD

Waterproof
Fireproof
Anti bedbug



PVC CO-EXTRUDED BOARD

High hardness
Smooth surface
Convenient construction

13 www.xinghuai.com o















ANTI-CORROSION SOUNDPROOF







XINGHUAI®

Production information

SPECIFICATIONS: (L)2400mm*(W)1220mm (Customizable)

DENSITY: 0.35-0.9 **THICKNESS:** 1mm-30mm

COLOUR: WHITE, RED, YELLOW, GREEN, BLUE, PINK, BLACK

Product characteristics

1. Fireproof and burning retarding

Tested to meet the national B1 standard, with flame retardancy and an oxidation index of over 45.

2. Lightweight and waterproof

The board is lightweight, and has low water absorption, which relatively independent closed bubbles and good overall integrity.

3. Green and environmentally friendly

Formaldehyde detection meets the E0 level standard, which is environmentally friendly and healthy. Please feel complently confident in purchasing.

Product performance indicators

Combustion performance level: B1 (B-s2, d0)

Water absorption rate: 1.16% Impact strength: 8-15KJ·m²

Tensile strength: 10-20MPa Bending strength: 12-18MPa

Bending modulus: 800-900MPa Fracture elongation: 15-20%

15 www.xinghuai.com o — o www.xinghuai.com 16














ANTI-CORROSION SOUNDPROOF









Production information

SPECIFICATIONS: (L)2400mm*(W)1220mm (Customizable)

DENSITY: 0.35-0.9 THICKNESS: 1mm-40mm

COLOUR: WHITE, RED, YELLOW, GREEN, BLUE, PINK, BLACK

Product characteristics

1. Fireproof and burning retarding

Tested to meet the national B1 standard, with flame retardancy and an oxidation index of over 45.

2. Lightweight and waterproof

The board is lightweight, and has low water absorption, which relatively independent closed bubbles and good overall integrity.

3. Green and environmentally friendly

Formaldehyde detection meets the E0 level standard, which is environmentally friendly and healthy. Please feel complently confident in purchasing.

Product performance indicators

Combustion performance level: B1 (B-s2, d0)

Water absorption rate: 1.16% Impact strength: 15-20KJ·m²

Tensile strength: 15-20MPa **Bending strength:** 12-18MPa

Bending modulus: 800-1200MPa Fracture elongation: 15-20%










FIREPROOF

WATERPROOF






ANTI-CORROSION HIGH HARDNESS







XINGHUAI

Production information

SPECIFICATIONS: (L)2400mm*(W)1220mm (Customizable)

THICKNESS: 1mm-40mm **DENSITY:** 0.4-0.9

COLOUR: WHITE, RED, YELLOW, GREEN, BLUE, PINK, BLACK

Product characteristics

1. Fireproof and burning retarding

Tested to meet the national B1 standard, with flame retardancy and an oxidation index of over 45.

2. Lightweight and waterproof

The board is lightweight, and has low water absorption, which relatively independent closed bubbles and good overall integrity.

3. Green and environmentally friendly

Formaldehyde detection meets the E0 level standard, which is environmentally friendly and healthy. Please feel complently confident in purchasing.

4. Good processing performance

It can be processed by drilling, sawing, nailing, planing, sticking, etc. can also be welded, folded, heated, and bent.

5. Smooth surface with high hardness

Co extruded foam board is extruded and has a very high surface hardness, making it difficult to produce scratches. The surface is smooth and has a certain mirror effect. It is widely used in decoration, construction, and other fields.









FIREPROOF WATERPROOF






ANTI-CORROSION

COLORFUL







XINGHUAI

Production information

SPECIFICATIONS: (L)2400mm*(W)1220mm (Customizable)

DENSITY: 0.35-0.6 THICKNESS: 1mm-30mm

COLOUR: RED, YELLOW, GREEN, BLUE, PINK (Customizable)

Product characteristics

1. Fireproof and burning retarding

Tested to meet the national B1 standard, with flame retardancy and an oxidation index of over 45.

2. Lightweight and waterproof

The board is lightweight, and has low water absorption, which relatively independent closed bubbles and good overall integrity.

3. Green and environmentally friendly

Formaldehyde detection meets the E0 level standard, which is environmentally friendly and healthy. Please feel complently confident in purchasing.

Product performance indicators

Combustion performance level: B1 (B-s2, d0)

Impact strength: 15-20KJ·m² Water absorption rate: 1.16%

Bending strength: 12-18MPa Tensile strength: 15-20MPa

Bending modulus: 800-1200MPa Fracture elongation: 15-20%

www.xinghuai.com

www.xinghuai.com 22










FIREPROOF

WATERPROOF





ANTI-CORROSION SOUNDPROOF



Bedhead background wall



TV background wall

Production information

XINGHUAI

SPECIFICATIONS: (L)2400mm*(W)1220mm (Customizable)

THICKNESS: 5mm/8mm **DENSITY:** 0.65

COLOUR: MULTIPLE COLORS (CUSTOMIZABLE)

Product characteristics

1. Fireproof and burning retarding

Tested to meet the national B1 standard, with flame retardancy and an oxidation index of over 45.

2. Lightweight and waterproof

The board is lightweight, and has low water absorption, which relatively independent closed bubbles and good overall integrity.

3. Green and environmentally friendly

Formaldehyde detection meets the E0 level standard, which is environmentally friendly and healthy. Please feel complently confident in purchasing.

4. Good processing performance

It can be processed by drilling, sawing, nailing, planing, sticking, etc. It can also be welded, folded, heated, and bent.

5. Smooth surface with high hardness

Co extruded foam board is extruded and has a very high surface hardness, making it difficult to produce scratches. The surface is smooth and mirrorable. It is widely used in decoration, construction, and other fields.









FIREPROOF



ANTI-CORROSION







XINGHUAI

Production information

SPECIFICATIONS: (L)2400mm*(W)1220mm (Customizable)

THICKNESS: 15mm-40mm **DENSITY:** 0.5-0.9

COLOUR: Multiple colors (customizable)

Product characteristics

1. Fireproof and burning retarding

Tested to meet the national B1 standard, with flame retardancy and an oxidation index of over 45.

2. Lightweight and waterproof

Lightweight, with low water absorption, relatively independent enclosed bubbles and good integrity, it has a certain waterproof function.

3. Green and environmentally friendly

Formaldehyde detection meets the E0 level standard, which is environmentally friendly and healthy. Please feel complently confident in purchasing.

Product performance indicators

Combustion performance level: B1 (B-s2, d0)

Water absorption rate: 1.16% Impact strength: 15-20KJ·m²

Bending strength: 12-18MPa Tensile strength: 15-20MPa

Bending modulus: 800-1200MPa Fracture elongation: 15-20%












ANTI-CORROSION SOUNDPROOF







XINGHUAI

Production information

SPECIFICATIONS: (L)2400mm*(W)1220mm (Customizable)

THICKNESS: 12mm/16mm/18mm DENSITY: 0.6

COLOUR: Multiple colors (customizable)

Product characteristics

1. Fireproof and burning retarding

Tested to meet the national B1 standard, with flame retardancy and an oxidation index of over 45.

2. Lightweight and waterproof

Lightweight, with low water absorption, relatively independent enclosed bubbles and good integrity, it has a certain waterproof function.

3. Green and environmentally friendly

Formaldehyde detection meets the E0 level standard, which is environmentally friendly and healthy. Please feel complently confident in purchasing.

Product performance indicators

Combustion performance level: B1 (B-s2, d0)

Water absorption rate: 1.16% Impact strength: 15-20KJ·m²

Bending strength: 12-18MPa Tensile strength: 15-20MPa

Bending modulus: 800-1200MPa Fracture elongation: 15-20%








FIREPROOF






SCRATCH-RESISTANT

ANTI-CORROSION









Production information

SPECIFICATIONS: (L)2400mm*(W)1220mm (Customizable)

DENSITY: 0.6 THICKNESS: 12mm/15mm

COLOUR: BLUE(Customizable)

Product characteristics

1. Fireproof and burning retarding

Tested to meet the national B1 standard, with flame retardancy and an oxidation index of over 45.

2. Waterproof and moisture-proof

Low water absorption rate, relatively independent sealing of bubbles and good integrity, no expansion after soaking in water for 30 years.

3. Green and environmentally friendly

Formaldehyde detection meets the E0 level standard, which is environmentally friendly and healthy. Please feel complently confident in purchasing.

4. Shore hardness up to 75+

It has good compressive strength and is not easily deformed, ensuring that your product can maintain stability and reliability during use.

5. Easy to clean

The board has undergone special process treatment, with fine lines on the surface and no dirt accumulation. It can be cleaned easily with a cloth or water rinse.










FIREPROOF

ANTI-CORROSION









Production information

SPECIFICATIONS: (L)2400mm*(W)1220mm (Customizable)

THICKNESS: 9mm-18mm **DENSITY:** 0.55-0.9

COLOUR: GREEN

Product characteristics

1. Fireproof and burning retarding

Tested to meet the national B1 standard, with flame retardancy and an oxidation index of over 45.

2. Waterproof and moisture-proof

Lightweight, with low water absorption, relatively independent enclosed bubbles and good integrity, it has a certain waterproof function.

3. Green and environmentally friendly

Formaldehyde detection meets the E0 level standard, which is environmentally friendly and healthy. Please feel complently confident in purchasing.

Product performance indicators

Combustion performance level: B1 (B-s2, d0)

Water absorption rate: 1.16% Impact strength: 15-20KJ·m²

Tensile strength: 15-20MPa **Bending strength:** 12-18MPa

Bending modulus: 800-1200MPa Fracture elongation: 15-20%



THE SURFACE TEXTURE IS RICH AND COLORFUL

Can be customized according to environmental requirements.



Various surface textures (customizable)



Wood grain decorative texture

The wood grain pattern is rich, the effect is realistic, and the texture is clear.




Solid color decorative texture

The concept of solid color is the aesthetic source of simplicity and subtlety in business operations.



Fabric decorative texture

The fabric element bid farewell to the monotony and monotony of the past space, conveying a warm atmosphere that is deeply loved by modern consumers. Its simple yet gorgeous, minimalist and elegant style makes life full of personality and charm.



Stone decorative texture

The solid and tough surface and dynamic and realistic texture perfectly reproduce the texture and charm of the stone. In the space it creates, the beauty of the stone grain is combined with modern space, fermenting a kind of unimaginable beauty.



33 www.xinghuai.com









Wood grain decorative texture



We only show some textures, please inquire for other textures.



Solid color decorative texture




We only show some textures, please inquire for other textures.



Fabric decorative texture











39 www.xinghuai.com o -










Stone decorative texture



We only show some textures, please inquire for other textures.



CONTINUE TO INNOVATE NEVERSTOP



APPLICATION CHAPTER

The main component of PVC is polyvinyl chloride. The top layer of this surface film is paint, the main component in the middle is polyvinyl chloride, and the bottom layer is back-coated adhesive. It is a synthetic material that is loved, popular and widely used in the world today. PVC sheets have high wear resistance and practicality, excellent quality, are corrosion-resistant, acid-alkali-resistant, moth-proof, waterproof and moisture-proof, pressure-resistant and durable, suitable for various environments and occasions. It has become a widely used decorative material, furniture processing material, advertising production material and so on.

XINGHUAI[®]

ADVERTISING SOLUTIONS

The wide application of PVC sheets in the advertising industry is mainly due to its ease of cutting, easy processing, high strength and good weather resistance, as well as its relatively low price. These characteristics make PVC sheets an important material in the advertising industry and are widely used in various outdoor advertising, display props, signs, signboards and other fields.









FIREPROOF WATERPROOF ANTI-CORROSION







Culture Wall Advertising lettering Advertising signs Inkjet spray painting








FURNITURE SOLUTIONS

PVC sheets also have excellent processing performance, excellent appearance quality, high hardness and durability, environmental protection, fire protection, moisture resistance, mildew resistance, etc., and can meet the needs of different environments and usage scenarios, making them popular in the furniture industry. It has broad application prospects.









FIREPROOF WATERPROOF ANTI-CORROSION







TV cabinet Bookshelf Cupboard Bathroom cabinet







WHOLE HOUSE CUSTOMIZATION

PVC sheets have excellent processing performance and environmentally friendly recyclability, as well as high strength, corrosion resistance, and anti-aging. These properties make it one of the ideal materials for whole-home customization. In addition, PVC sheets are available in rich colors and styles, and can be customized to different home styles to meet the aesthetic needs. The most important thing is that the price of PVC sheets is relatively affordable and cost-effective.






















Floor Ceiling Clapboard Partition screen





XINGHUAI

GREEN CULTIVATION SOLUTIONS

PVC sheets have good waterproof, dustproof, anti-corrosion, insect-proof and other properties, and can effectively protect plants from the influence and damage of the external environment. A variety of colors and patterns are available, which can meet the needs of different occasions and styles, and improve the diversity and ornamental value of the green landscape.











FIREPROOF WATERPROOF ANTI-CORROSION







Green guardrail

Green plant floor

Vegetation slope protection

Greenhouse planting








SPECIAL VEHICLE SOLUTIONS

The light weight of PVC sheets can effectively reduce the weight of the vehicle body and improve the driving efficiency of the vehicle. At the same time, the thermal insulation performance of PVC sheets is also very good, which can effectively maintain the temperature in the cabin. In addition, PVC sheets have high hardness and strong load-bearing capacity, which can ensure that the equipment in the carriage is placed safely and stably.










FIREPROOF WATERPROOF ANTI-CORROSION









Motor home Ambulance Refrigerated truck New energy truck





53 www.xinghuai.com o